Division of Environment Curtis State Office Building 1000 SW Jackson St., Suite 400 Topeka, KS 66612-1368



Phone: 785-296-1535 Fax: 785-559-4264 www.kdheks.gov

Janet Stanek, Secretary

Laura Kelly, Governor

May 25th, 2023

Westwood Hills, City of Rosemary Podrebarac 2216 West 49th Street Westwood Hills, KS 66205

RE:

Kansas Public Notice No. KS-Q-22-82 Kansas Water Pollution Control Permit Permit No. M-MO39-SU01 Westwood Hills, City of

Dear Permittee:

The enclosed public notice and draft permit pertain to the referenced pending Kansas Water Pollution Control Permit and Authorization to Discharge under the National Pollutant Discharge Elimination System (NPDES).

Regulations require this department to issue a public notice to inform interested persons of the agency's intent to issue a Kansas/Federal Water Pollution Control Permit. The notice allows a 30-day period for comment by the applicant or other interested parties. If response to the notice indicates significant interest, a public hearing may be held. Please post the draft permit and the public notice in a conspicuous public place in your place of business (if a private business) or other public building (if a governmental entity) until the Comments Due Date identified in the public notice.

Any comments you have regarding the proposed permit should be sent to this office. If you have any questions, please contact me at (785) 296-2683.

Sincerely,

Andrew Bowman Permits & Compliance

NE - District SH & SS- Permit File

State of Kansas Department of Health and Environment

Public Notice Concerning Kansas / Federal Water Pollution Control Permits and Applications

State of Kansas Department of Health and Environment Division of Environment-Bureau of Water 1000 SW Jackson St., Suite 420 Topeka, Kansas 66612-1367

(785) 296-6432 - Ag Permits Telephone:

(785) 296-3056 - All Others

Public Notice No. KS-AG-23-118/126 Public Notice No. KS-AG-R-23-010 Public Notice No. KS-Q-23-75/87 Public Notice No. KS- KS-NQ-23-002

> Beginning Date: May 25th, 2023 Comments Due: June 24th, 2023

> > **Receiving Water Upper Arkansas**

River Basin

In accordance with Kansas Administrative Regulations 28-16-57a through 63, 28-18-1 through 17, 28-18a-1 through 31 and 33, 28-16-150 through 154, 28-46-7, and the authority vested with the State by the administrator of the U.S. Environmental Protection Agency, various draft water pollution control documents (permits, notices to revoke and reissue, notices to terminate) have been prepared and/or permit applications have been received for discharges to waters of the United States and the state of Kansas for the class of discharges described below.

The proposed actions concerning the draft documents are based on staff review, applying the appropriate standards, regulations, and effluent limitations of the state of Kansas and the Environmental Protection Agency. The final action will result in a Federal National Pollutant Discharge Elimination System Authorization and/or a Kansas Water Pollution Control permit being issued, subject to certain conditions, revocation, and reissuance of the designated permit or termination of the designated permit.

Public Notice No. KS-AG-23-118/126

Pending Permits for Confined Feeding Facilities

Name and Address of Applicant Spandet Dairy, LLC Spandet Dairy KS 6306 Road 20

Cimarron, KS 67835

Legal Description SW/4 of Section 29 & SE/4 of Section 30 & E/2 of Section 31 & NW/4 of Section 32

T24S, R27W **Gray County**

Kansas Permit No.: A-UAGY-D002 Federal Permit No.: KS0091120

The proposed action is to modify and reissue an existing NPDES permit for an expanding facility for 12,000 head (13,440 animal units) of mature dairy cattle, 7,500 head (7,500 animal units) of cattle weighing greater than 700 pounds, and 3,600 head (1,800 animal units) of cattle weighing less than 700 pounds for a total of 23,100 head (26,100 animal units). This permit is being modified for process wastes and wastewaters from a portion of the facility to be transferred to three (3) new tanks that will be utilized as anaerobic digesters before wastewater is transferred to the six (6) existing earthen wastewater structures. There is no change in the permitted number of animal units from the previous permit. This facility has an approved Nutrient Management Plan on file with KDHE.

Steven L. & Jessie M. Macke 561 160th Rd Baileyville, KS 66404

S/2 of Section 23 T02S, R11E Nemaha County Missouri River Basin

Kansas Permit No.: A-MONM-B005

The proposed action is to modify and reissue an existing State permit for a facility for 999 head (999 animal units) of cattle weighing more than 700 pounds. This permit is being modified to include a recently constructed cattle confinement building with a concrete floor located in the west feedlot. The building measures 51-feet by 1,200-feet with six (6) pens that utilize deep bedding. There is no change in the permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Amy Rich Kan Sun Cattle, LLC 1129 N CR 3 Leoti, KS 67861 S/2 of Section 33 T16S, R38W Wichita County

Smoky Hill River Basin

Kansas Permit No.: A-SHWH-C004

Federal Permit No.: KS0115282

The proposed action is to reissue an existing NPDES permit for an existing facility for 17,000 head (17,000 animal units) of cattle weighing more than 700 pounds, and 10 head (20 animal units) of horses, for a total of 17,020 animal units. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Nutrient Management Plan on file with KDHE.

Top Line Feed Yard 1118 200th Ave Lewis, KS 67552 NW/4 of Section 29 T24S, R17W Edwards County Upper Arkansas River Basin

Kansas Permit No.: A-UAED-B004

The proposed action is to reissue an existing State permit for an existing facility for 900 head (900 animal units) of cattle weighing more than 700 pounds and 10 head (20 animal units) of horses, for a total of 920 animal units. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Nathan Stutzman 6087 Trego Rd Chetopa, KS 67336 NW/4 of Section 13 T34S, R20E Labette County

Neosho River Basin

Kansas Permit No.: A-NELB-M013

The proposed action is to reissue an existing State permit for an existing facility for 8 head (8 animal units) of cattle weighing more than 700 pounds, 15 head (7.5 animal units) of cattle weighing less than 700 pounds, 31 head (43.4 animal units) of mature dairy cows, and 12 head (24 animal units) of horses

for a total of 82.9 animal units. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Wildcat Feeders LLC 975 Limestone Trail Scandia, KS 66966

SE/4 of Section 21 T03S. R04W Republic County

Lower Republican River Basin

Kansas Permit No.: A-LRRP-B003

The proposed action is to reissue an existing State permit for an existing facility for 999 head (999 animal units) of cattle more than 700 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Dave Schamberger DLS Farms, Inc. 3387 S State Hwy 23 Hoxie, KS 67740

SE/4 of Section 28 T08S, R28W **Sheridan County**

Solomon River Basin

Kansas Permit No.: A-SOSD-B006

The proposed action is to reissue an existing State permit for an existing facility for 500 head (500 animal units) of cattle more than 700 pounds. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

James Fisher Fisher Dairy 6049 Trego Rd Chetopa, KS 67336

SW/4 of Section 13 T34S, R20E **Labette County**

Neosho River Basin

Kansas Permit No.: A-NELB-M018

The proposed action is to reissue an existing State permit for an existing facility for 20 head (10 animal units) of cattle weighing more than 700 pounds and 40 head (56 animal units) of mature dairy cows; for a total of 66 animal units. There will be no change in the operation or permitted number of animal units from the previous permit. This facility has an approved Waste Management Plan on file with KDHE.

Bird City Dairy, LLC 1440 CR 32 Bird City, KS 67731 N/2 of SW/4 of Section 27 & S/2 of NW/4 of Section 27 T03S, R37W

Upper Republican River Basin

Chevenne County

Kansas Permit No.: A-URCN-D001 Federal Permit No.: KS0099091

The proposed action is to approve an update to the Nutrient Management Plan (NMP) received for this

existing facility currently permitted for 3,300 head (4,620 animal units) of mature dairy cattle and 300 head (150 animal units) of dairy cattle less than 700 pounds or less; for a total of 4,770 animal units. The facility's NMP was updated to include the addition of five new land application fields. There are no changes to the permit or in the permitted number of animal units. Only the updated portion of the Nutrient Management Plan is subject to comment. This facility has an approved Nutrient Management Plan on file with KDHE.

Public Notice No. KS-AG-R-23-010

Per Kansas Statutes Annotated 65-171d, the following Registration has been received for a

proposed facility:

Name and Address of Registrant
Murphy Brown LLC

NW/4 of Section 16

County
Rooks

Kansas Site 2070250

3803 Enterprise Dr, STE B

Nevada, MO 64772

T09S. R18W

Public Notice No.: KS-Q-23-75/87

The requirements of the draft permit public noticed below are pursuant to the Kansas Surface

Water Quality Standards, K.A.R. 28-16-28 (b-g), and Federal Surface Water Criteria.

NAME AND ADDRESS OF APPLICANT RECEIVING STREAM TYPE OF DISCHARGE

Fairway, City of Missouri River Stormwater Point

5240 Belinder Source

Fairway, KS 66205

Kansas Permit No. M-MO34-SU01 Federal Permit No. KSR410005

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Mission, City of 6090 Woodson

Mission, KS 66202

Kansas River

Stormwater Point

Source

Kansas Permit No. M-KS45-SU01

Federal Permit No. KSR410021

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop,

implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Mission Hills, City of 6300 State Line Road Mission Hills, KS 66208

Missouri River

Stormwater Point

Source

Kansas Permit No. M-MO37-SU01

Federal Permit No. KSR410022

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Mission Woods, City of 4700 Rainbow Boulevard Mission Woods, KS 66205 Missouri River

Stormwater Point

Source

Kansas Permit No. M-MO40-SU01

Federal Permit No. KSR410046

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices.

Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Prairie Village, City of 3535 Somerset Drive Prairie Village, KS 66208 Missouri River

Stormwater Point

Source

Kansas Permit No. M-MO38-SU01

Federal Permit No. KSR410028

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Roeland Park, City of 5600 W 51st Street Roeland Park, KS 66205

Missouri River

Stormwater Point

Source

Kansas Permit No. M-MO35-SU01

Federal Permit No. KSR410030

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Westwood, City of 4700 Rainbow Boulevard Westwood, KS 66205 Missouri River

Stormwater Point Source

Kansas Permit No. M-MO36-SU01

Federal Permit No. KSR410038

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Westwood Hills, City of 2216 West 49th Street Westwood Hills, KS 66205 Missouri River

Stormwater Point

Source

Kansas Permit No. M-MO39-SU01

Federal Permit No. KSR410049

The proposed action is to issue a new individual NPDES Municipal Separate Storm Sewer System (MS4) permit from an existing MS4 general permit. The proposed MS4 permit requires the permittee to develop, implement, and enforce a stormwater management program designed to reduce the discharge of pollutants from the MS4 to the maximum extent practicable, to protect water quality, and to satisfy the appropriate water quality requirements of the Clean Water Act and Kansas surface water quality statutes and regulations. The proposed permit requires the permittee to update the Stormwater Management Program document, implement six minimum control measures and implement best management practices to reduce any identified total maximum daily load (TMDL) regulated pollutants if listed in the permit (TMDL Table). If there is an identified TMDL regulated pollutant, surface water monitoring may be required on the impaired water body to evaluate performance of the best management practices. Monitoring of industrial stormwater discharges and oversite of construction activities within the MS4 may be required if it is applicable. The proposed permit requires the submittal of an annual report that addresses all compliance requirements for the previous year.

Cherokee, City of P.O. Box 201 Cherokee, KS 66724 Limestone Creek via Wolf Creek via unnamed tributary

Treated Domestic Wastewater

Kansas Permit No. M-NE12-OO01

Federal Permit No. KS0081230

Legal Description: SE14, SW14, Section 13, Township 31S, Range 23E of Crawford County, KS

Facility Location: 37.34137, -94.84358

The proposed action is to reissue an existing State/NPDES permit for an existing facility. The existing facility is a three-cell wastewater stabilization lagoon system with a minimum of 120 days detention time. The facility receives domestic wastewater from residential areas. The detention time at design flow is 209

days. The proposed permit contains limits for Biochemical Oxygen Demand, Total Suspended Solids, and Ammonia: as well as monitoring for pH and E. coli.

Lincolnville. City of P.O. Box 96

Lincolnville, KS 66858

Cottonwood River via

Clear Creek

Treated Domestic

Wastewater

Kansas Permit No. M-NE43-OO01

Federal Permit No. KS0090581

Legal Description: NE14, NW14, NE14, Section 14, Township 18S, Range 4E of Marion County, KS

Facility Location: 38.49283, -96.95453

The proposed action is to reissue an existing State/NPDES permit for an existing facility. The existing facility consists of a three-cell wastewater stabilization lagoon system with a minimum of 120 days detention time. The facility receives domestic wastewater from residential and commercial areas. The detention time at design flow is 143 days. The proposed permit contains limits for Biochemical Oxygen Demand, Total Suspended Solids, and Ammonia; as well as monitoring for pH, E. coli, and Sulfates.

Norma and Chet Hiatt 1908 South Locust

Pittsburg, KS 66762-6228

Spring River via

Cow Creek

Treated Domestic

Wastewater

Kansas Permit No. C-NE57-OO02

Federal Permit No. KS0085782

Legal Description: SW1/4, SE1/4, NE1/4, Section 34, Township 30S, Range 24E of Crawford County, KS

Facility Location: 37.39079, -94.76275

The proposed action is to reissue an existing State/NPDES permit for an existing facility. The existing facility is a two-cell wastewater stabilization lagoon system with a minimum of 150 days detention time. The facility receives domestic wastewater from residential areas. The detention time at design flow is 152 days. The facility has not been in use since 2016. The proposed permit contains limits for Biochemical Oxygen Demand and Total Suspended Solids, as well as monitoring for pH, Ammonia, E. coli, Total Phosphorus, and Sulfate.

AKASI, LLC

10867 NE Highway 69 Pittsburg, KS 66762

Cow Creek via unnamed tributary

Treated Domestic Wastewater

Kansas Permit No. C-NE57-OO04

Federal Permit No. KS0094391

Legal Description: NW1/4, NW1/4, NW1/4, Section 20, Township 31S, Range 25E of Cherokee County, KS

Facility Location: 37.33755, -94.70471

The proposed action is to reissue an existing State/NPDES permit for an existing facility. The existing facility is a three-cell wastewater stabilization lagoon system preceded by a septic tank with a minimum of 120 days detention time. The facility receives domestic wastewater from a commercial establishment. The proposed permit contains limits for Biochemical Oxygen Demand and Total Suspended Solids, as well as monitoring for pH, Ammonia, E. coli, and Total Phosphorus.

TC Oil Pipeline Operations, Inc.

Mill Creek

Processed Wastewater

13710 FNB PKWY, Suite 300 Omaha, NE 68154

Facility Name: TC Energy Keystone Pipeline Milepost #14 Crude Oil Release Project

Kansas Permit No. I-BB21-PO02 Federal Permit No. KS0200012

Legal Description: Section 20 & 21, Township 02S, Range 04E of Washington County, KS

Facility Location: 39.861132, -96.996557

The proposed action is to issue a new State/NPDES permit for a new facility. The temporary wastewater treatment facility was constructed onsite for the purpose of treating impacted surface and groundwater from Mill Creek that resulted from the TC Energy Keystone Pipeline Milepost #14 crude oil spill on December 7, 2022. The facility consists of a granular activated carbon (GAC) system with a 5-acre of storage lagoons for remediation of surface water and groundwater of impacted portion of Mill Creek. The treatment system also includes an upstream 3-acre phase separation lagoons with a dissolved air flotation (DAF) unit. The wastewater treatment system removes crude oil and volatile organic compounds (VOCs) from crude oil-impacted surface water and groundwater. Both lagoons have single 60-mil synthetic liners. The proposed permit contains limits for Flow, Benzene, Daily Maximum (D.M.), Toluene, D.M., Ethylbenzene, D.M., Total Xylenes, D.M., Total Petroleum Hydrocarbons – Low-Range, Total Petroleum Hydrocarbons – High-Range Hydrocarbons, Total Suspended Solids, Monthly Average (M.A.)/D.M., pH – Standard Units, Oil and Grease M.A./D.M., Total Arsenic, D.M., Total Barium, D.M., Total Chromium, D.M., Total Mercury, D.M., and Total Selenium, D.M.; as well as monitoring for Total Phosphorous, Total Lead, Total Copper, Total Nickel, Total Zinc, Total Molybdenum, Sulfate, and Total Cyanide.

Public Notice No. KS-NQ-23-002

The requirements of the draft permit public noticed below are pursuant to the Kansas Surface Water Quality Standards, K.A.R. 28-16-28(b-g).

NAME AND ADDRESS OF APPLICANT

FACILITY LOCATION 38.730203, -97.739116

TYPE OF DISCHARGE

Non-Overflowing

Kansas Army National Guard 2722 SW Topeka Boulevard

Topeka, KS 66611

Federal Permit No. KSJ001013

Facility Name: Smoky Hill Army Range

Kansas Permit No. M-SH33-NO02

Legal Description: SE¼, NW¼, SW¼, Section 23, Township 15S, Range 4W of Saline County, KS

The proposed action is to issue a new, non-discharging State/NPDES permit for an existing non-discharging facility. Two cell lagoon system with 31,000 sq ft surface area that received wastewater from an office building and barracks used sporadically. Synthetic HDPE liner installed = less than 0.1 in/day seepage (assumed 0). SCHEDULE OF COMPLIANCE: Within 60 days of the effective date of this permit, the facility shall have a KDHE-certified operator to supervise the operation of this facility in compliance with K.S.A. 65-4501 et seq. and K.A.R. 28-16-30 et seq. In compliance with Kansas and federal law, KDHE has approved an antidegradation review for this new facility for increased concentrations and mass of some pollutants to the receiving stream. The water quality of the receiving stream will not be lowered below the quality necessary to support existing designated uses.

Persons wishing to comment on or object to the draft documents and/or permit applications must submit their comments in writing to the Kansas Department of Health and Environment (KDHE) if they wish to have the comments or objections considered in the decision-making process. All written comments regarding the draft documents, application or registration notices received on or before <u>June 24th, 2023</u> will be considered in the formulation of the final determination regarding this public notice. Please refer to the appropriate Kansas document number (KS-AG-23-118/126, KS-AG-R-23-010, KS-Q-23-75/87, KS-NQ-23-002) and name of the applicant/permittee when preparing comments.

All comments received will be responded to at the time the Secretary of Health and Environment issues a determination regarding final agency action on each draft document/application. If response to any draft document/application indicates significant public interest, a public hearing may be held in conformance with K.A.R. 28-16-61 (28-46-21 for UIC). A request for public hearing must be submitted in writing and shall state the nature of the issues proposed to be raised during the hearing.

Comments or objections for agricultural related draft documents, permit applications, registrations or actions should be submitted to the attention of Casey Guccione, Section Chief, Livestock Waste Management Section at the KDHE Bureau of Environmental Field Services (BEFS), 1000 SW Jackson, Suite 430, Topeka, KS 66612. Comments or objections for all other proposed permits or actions should be sent to Andrew Bowman at the KDHE, Bureau of Water, 1000 SW Jackson St., Suite 420, Topeka, KS 66612.

All draft documents/applications and the supporting information including any comments received are on file and may be inspected at the offices of the KDHE. For agricultural related draft documents or applications an appointment can be scheduled, or copies requested by contacting Mirina Landry at 1000 SW Jackson St., Suite 430, Topeka, KS 66612, telephone (785) 296-0076 or email at kdhe.feedlots@ks.gov. For all other proposed permits or actions an appointment can be scheduled, or copies requested by contacting Neal Niceswanger, Bureau of Water, 1000 SW Jackson St., Suite 420, Topeka, KS 66612, telephone (785) 296-6804 or email at Neal.Niceswanger@ks.gov. These documents are available upon request at the copying cost assessed by KDHE. Application information and components of plans and specifications for all new and expanding swine facilities are available on the Internet at http://www.kdhe.ks.gov/livestock. Division of Environment offices are open from 8 a.m. to 5 p.m., Monday through Friday, excluding holidays.

Janet Stanek Secretary Kansas Department of Health and Environment

Kansas Permit No.: M-MO39-SU01

Federal Permit No.: KSR410049

KANSAS WATER POLLUTION CONTROL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) PERMIT AND AUTHORIZATION TO DISCHARGE UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

Pursuant to the provisions of Kansas Statutes Annotated 65-164 and 65-165, the Federal Water Pollution Control Act as amended, 33 U.S.C. 1251 et seq., the "Act",

Permittee:	Westwood Hills, City of	
Permittee Address:	2216 West 49th Street Westwood Hills, KS 66205	
Drainage Basin:	Missouri River	Ų
	arge stormwater from the municipa ein in accordance with the limi permit.	
This permit is effective permit M-MO39-SU01 and expires	, supersedes the previous December 31, 2025.	ously issued MS4 general
PERMIT AREA AND AUTHORIZED DISC	CHARGES	
located in the urbanized area a	within the permittee's MS4 juris s defined by the 2010 U.S. Census on areas incorporated into or remoterm of this permit.	(the Permit Area). The
discharges from the Municipal S	scharge of all existing or new eparate Storm Sewer System (MS4) les are those which are created atterm of this permit.	ocated within the Permit
Secretary, Ka	ansas Department of Health and En	vironment
Date		

Kansas Permit No.: M-M039-SU01
Page 2 of 46

PART I. STORMWATER MANAGEMENT PROGRAM (SMP) DOCUMENT REQUIREMENTS

A. Current Stormwater Management Program

The permittee shall continue to implement and enforce the current Stormwater Management Program (SMP), as documented in the SMP document, until an updated SMP is implemented.

Any updated SMP shall be designed to:

- 1. Reduce the discharge of pollutants from the municipal separate storm sewer system (MS4) to the Maximum Extent Practicable (MEP),
- Continue to implement the six minimum control measures as listed in PART I Section C,
- 3. Satisfy the requirements of this permit, the Clean Water Act and Kansas surface water quality statutes and regulations.

Implementation of Best Management Practices (BMPs) consistent with the provisions of the SMP document and this permit constitutes compliance with the standard of reducing pollutants to the Maximum Extent Practicable.

B. Updated Stormwater Management Program document

Modification of the SMP is permitted as the need arises. Modifications can be accomplished with any of the following methods:

- 1. Normally the SMP document is updated near the end of the calendar year and submitted to KDHE for review along with the annual report which is due after the first of the calendar year but before the 28th of February. The permittee is required to implement the SMP, which was most recently submitted to KDHE along with the annual report, throughout the entire year and may continue to implement the updated SMP until subsequently modified. The updated SMP as submitted must be accepted by KDHE. If KDHE finds the SMP is not acceptable, requirements for modification and resubmittal will be addressed to the permittee.
- 2. If it becomes necessary to modify the SMP at some time other than when the annual report is submitted to KDHE, the permittee may make the modifications to the SMP document and submit the SMP document to KDHE for acceptance. The permittee shall not begin implementation of the modified SMP until after KDHE has provided acceptance.
- 3. KDHE may require the permittee to modify the SMP at any time, requirements for modification and resubmittal will be addressed to the permittee.

C. Six Minimum Control Measures

The Permittee shall continue to review, update and implement BMPs with measurable goals for each of the six minimum control measures.

For all six minimum control measures, documentation of compliance with each measure's goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the requirements of this permit and be able to claim at least the required number of points in each calendar year. Extent of compliance, i.e., equaling or exceeding the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

Kansas Permit No.: M-MO39-SU01

Page 3 of 46

C. Six Minimum Control Measures (continued)

For any of the six minimum control measures, the permittee is not limited to implementation of the BMPs listed in the tables. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the tables may be documented and counted toward the required annual point total. Additional points may be requested by the permittee for BMPs that are not included in the tables. The request must be submitted to KDHE prior to the annual report submission period in order for points to be included towards the current year. Points cannot be claimed on the annual report if not approved by KDHE.

Guidance useful in implementing the six minimum control measures can be obtained from the Online Water Library (OWL) of the Center for Watershed Protection. A list of url links to helpful guidance documents, including OWL, can be found on the KDHE Municipal Stormwater Program website at the following url:

https://www.kdhe.ks.gov/DocumentCenter/View/28893/MS4-NPDES-Permit-Helpful-Guidance-andor-Resources-PDF

Document titled "MS4 NPDES Permit Helpful Guidance and/or Resources"

The six minimum control measures and requirements are as follows:

1. Public Education and Outreach

The permittee shall continue to implement a public education program which includes distribution of educational materials to the community or conducting equivalent outreach activities which address the impacts of stormwater discharges on water bodies and the steps the public can take to reduce pollutants in stormwater runoff.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 7 points for each calendar year. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed under this permit.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or forum can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Education and Outreach program as required above, the permittee must implement sufficient listed BMPs in Appendix A to qualify for the required number of points.

Kansas Permit No.: M-M039-SU01

Page 4 of 46

2. Public Involvement/Participation

The permittee shall continue to implement a public involvement and participation program to solicit public comments and recommendations regarding the BMPs and measurable goals utilized by the permittee to comply with the permit. The permittee shall comply with State and local public notice requirements when implementing a public involvement and participation program.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 6 points for each calendar year. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Involvement/Participation program as required above, the permittee must implement sufficient listed BMPs in Appendix B to qualify for the required number of points.

3. Illicit Discharge Detection and Elimination

The permittee shall:

- a. Continue to implement and enforce a program to detect and eliminate illicit discharges into the MS4.
- b. Maintain a storm sewer system map of the permittee's MS4, showing the location of all outfalls, either pipes or open channel drainage, showing the names and location of all streams or lakes receiving discharges from those outfalls. A copy of the map shall be submitted to KDHE with the annual report if requested by KDHE.
- c. Implement and enforce an ordinance or resolution to prohibit non-stormwater discharges into the storm sewer system and implement appropriate enforcement procedures and actions. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- d. Inform public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste.
- e. Develop and implement a plan to detect/inspect for and address prohibited non-stormwater discharges, including illegal dumping, to the storm sewer system. The plan must include efforts to identify and evaluate dry weather MS4 discharges to detect and eliminate any associated illicit discharge. Unless identified by either the permittee or KDHE as a significant source of pollutants to waters of the state, several types of non-stormwater flow are not normally prohibited from entering the Municipal Separate Storm Sewer System:

Kansas Permit No.: M-MO39-SU01
Page 5 of 46

3. Illicit Discharge Detection and Elimination (continued)

Discharges which are not necessarily prohibited include:

- I. Water line flushing
- II. Diverted stream flows
- III. Rising ground waters
- IV. Uncontaminated groundwater infiltration as defined under 40 CFR 35.2005(20) to separate storm sewers
- V. Uncontaminated pumped groundwater
- VI. Contaminated groundwater if authorized by KDHE and approved by the municipality
- VII. Discharges from potable water sources
- VIII. Foundation drains
 - IX. Air conditioning condensation
 - X. Irrigation waters
 - XI. Springs
- XII. Water from crawl space pumps
- XIII. Footing drains
 - XIV. Lawn watering
 - XV. Individual residential car washing
 - XVI. Occasional not-for-profit car wash activities
- XVII. Flows from riparian habitats and wetlands
- XVIII. Dechlorinated swimming pool discharges excluding filter backwash
 - XIX. Street wash water (excluding street sweepings which have been removed from the street)
 - XX. Discharges or flows from firefighting activities
 - XXI. Heat pump discharge waters (residential only)
- XXII. Treated wastewater meeting requirements of an NPDES permit
- XXIII. Sump pump drains
- XXIV. Other discharges determined not to be a significant source of pollutants to waters of the state, a public health hazard or a nuisance.

Kansas Permit No.: M-MO39-SU01

Page 6 of 46

3. Illicit Discharge Detection and Elimination (continued)

f. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 7 points for each calendar year. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing an Illicit Discharge Detection and Elimination program as required above, the permittee must implement sufficient listed BMPs in Appendix C to qualify for the required number of points.

4. Construction Site Stormwater Runoff Control

The permittee shall continue to maintain a program to reduce pollutants in any stormwater runoff to the MS4 from construction activities that result in a land disturbance of greater than or equal to one acre. Reduction of pollutant discharge associated with stormwater from construction activity disturbing less than one acre must be included in the program if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more. The program must include, at a minimum, all the following:

- a. Maintain and enforce an ordinance or resolution, if the permittee has the authority to do so, to require erosion and sediment controls, as well as sanctions to ensure compliance, to the extent allowable under State and local law. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- b. Maintain requirements for construction site owners or operators to implement appropriate erosion and sediment control best management practices.
- c. Maintain requirements for construction site owners or operators to control waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that are likely to cause adverse impacts to water quality.
- d. Maintain procedures for site plan review which incorporate consideration of potential water quality impacts.
- e. Maintain procedures for receipt and consideration of information submitted by the public.
- f. Maintain procedures for site inspection and enforcement of control measures.
- g. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 6 points for each calendar year. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

Kansas Permit No.: M-MO39-SU01 Page 7 of 46

4. Construction Site Stormwater Runoff Control (continued)

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Construction Site Stormwater Runoff Control program as required above, the permittee must implement sufficient listed BMPs in Appendix D to qualify for the required number of points.

5. <u>Post-Construction Stormwater Management in New Development and</u> Redevelopment Projects

The permittee shall continue to maintain a program to address post-construction stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into the MS4. The program must include, at a minimum, all the following:

- a. Maintain a requirement for BMPs to prevent or minimize adverse water quality impacts.
- b. Maintain strategies which include a combination of structural and/or nonstructural BMPs appropriate for the municipality.
- c. Maintain and enforce an ordinance or resolution, if the permittee has the authority to do so, to address post-construction runoff from new development and redevelopment projects to the extent allowable under State and local law.
- d. Ensure adequate long-term operation and maintenance of structural BMPs.
- e. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 7 points for each calendar year. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Post-Construction Stormwater Management in New Development and Redevelopment Projects program as required above, the permittee must implement sufficient listed BMPs in Appendix E to qualify for the required number of points.

Kansas Permit No.: M-MO39-SU01

Page 8 of 46

6. Pollution Prevention/Good Housekeeping for Municipal Operations

The permittee shall continue to implement an operation and maintenance program that includes employee training to prevent and reduce stormwater pollution from municipal operations activities such as park and open space maintenance, fleet and building maintenance, new construction and land disturbances, and stormwater system maintenance.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 6 points for each calendar year. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Pollution Prevention/Good Housekeeping for Municipal Operations program as required above, the permittee must implement sufficient listed BMPs in $Appendix\ F$ to qualify for the required number of points.

D. Total Maximum Daily Load (TMDL) Regulated Pollutants

This PART I - Section D requirement is not applicable to this permit. No action is required at this time for Total Maximum Daily Load (TMDL) Regulated Pollutants as there are no identified TMDL impacted streams within or adjacent to the municipality which justify implementing actions under this section.

E. Responsible Parties

The Stormwater Management Program (SMP) Document should list the municipal parties (employees and/or staff and/or departments) responsible for compliance with the SMP document. There is no requirement to name individual employees, rather, organizational units such as positions, divisions or departments may be named as the responsible parties.

F. Monitoring Requirements

The SMP document should address the monitoring requirements for surface water and/or storm water within the MS4 collection system. Surface water monitoring requirements addressed in this permit may be found in PART II.

G. Reporting Requirements

See PART IV.

Kansas Permit No.: M-MO39-SU01 Page 9 of 46

PART II. TOTAL MAXIMUM DAILY LOAD (TMDL) BEST MANAGEMENT PRACTICES AND SURFACE WATER MONITORING

This Part II requirement is not applicable to this permit. No action is required at this time for Total Maximum Daily Load (TMDL) Best Management Practices and Surface Water Monitoring as there are no identified TMDLs impacting streams within or adjacent to the municipality.

PART III. MONITORING INDUSTRIAL STORMWATER DISCHARGES:

This PART III requirement is not applicable to Phase II permittees. No action is required at this time for Monitoring Industrial Stormwater Discharges.

PART IV. REPORTING

The permittee shall submit a calendar year annual report to KDHE by February 28 of each year. The annual report shall be submitted to KDHE in the form specified by KDHE. The completed annual report along with attachments or other documents which need to be submitted in association with the annual report shall all be submitted in PDF file formats to KDHE. As KDHE implements the KEIMS web-based system, all documents submitted will be required to be uploaded through the KEIMS program. KDHE will provide notification to the permittee when annual reporting via the KEIMS system is required. The annual report shall cover the activities during the previous calendar year and must include:

- A. Provide the status of compliance with permit conditions, an assessment of the appropriateness of the implemented Best Management Practices, progress towards achieving the statutory goal of reducing the discharge of pollutants to the maximum extent practicable, and the measurable goals (with an indication of the progress toward meeting the goals) for each of the six minimum control measures.
- B. Provide results of information collected and analyzed, (for example test results, surveys, or public comments/input) during the annual reporting period. This may include monitoring data used to assess the success of best management practices with respect to reduction in pollutant discharge. Include an interpretation of the information which addresses success or failure of the portion of the program for which the information applies.
- C. Provide a summary of the stormwater activities that were scheduled to be undertaken during the previous calendar year and the status of these activities.
- D. Provide a summary of the stormwater activities which are scheduled to be undertaken during the next calendar year (including an implementation schedule).
- E. Provide a map showing changes in the permittee's Permit Area if the Permit Area has changed within the year.
- F. Provide a description of significant changes in any of the BMPs.
- G. Provide copies of any ordinances or resolutions which were updated in the last year and are associated with the SMP.
- H. Provide a list of other parties (such as other municipalities or consultants), which are responsible for implementing any of the program areas of the Stormwater Management Program.

STANDARD CONDITIONS FOR KANSAS WATER POLLUTION CONTROL AND NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM MS4 PERMITS

- 1. Representative Sampling and Monitoring Report Submittals:
 - A. Samples and measurements taken as required herein shall be representative of the quality and quantity of the monitored discharge. Test results shall be recorded for the day the samples were taken. If sampling for a parameter was conducted across more than one calendar day, the test results may be recorded for the day sampling was started or ended. All samples shall be taken at the locations designated in this permit, and unless specified, at the outfall/monitoring location(s) before the wastewater joins or is diluted by any other water or substance.
 - B. EPA's National Pollutant Discharge Elimination System (NPDES) Electronic Reporting Rule ("NPDES eRule") requires regulated entities to report data electronically. KDHE has developed electronic reporting tools to assist permittees in complying with the EPA electronic reporting rule. Unless a waiver has been approved by KDHE, permittees are required to submit information electronically. The electronic reporting system is called the Kansas Environmental Information Management System (KEIMS) and can be accessed at https://keims.kdhe.ks.gov Monitoring results shall be submitted no later than the 28th day of the month following the completed reporting period. If granted a waiver, signed and certified copies of data, information and reports, required herein, prepared in accordance with KAR 28-16-59, may be e-mailed as scanned attachments to kdhe.bowkeims@ks.gov, faxed to 785.559.4257, or sent by U.S. mail to:

Kansas Department of Health & Environment Bureau of Water-Technical Services Unit 1000 SW Jackson Street, Suite 420 Topeka, KS 66612-1367

2. Definitions:

- A. A "grab sample" is an individual sample collected in less than 15 minutes. A "composite sample" is a combination of individual samples in which the volume of each individual sample is proportional to the flow, or the sample frequency is proportional to time.
- B. The terms "Director", "Division", and "Department" refer to the Director, Division of Environment, Kansas Department of Health and Environment, respectively.
- C. "Severe property damage" means substantial physical damage to property, damage to the treatment/control facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a diversion.
- 3. Duty to Mitigate: The permittee shall take all reasonable steps to minimize or prevent any damage to the environment or hazard to human health from any discharge in violation of this permit.
- 4. Test Procedures: All analyses required by this permit shall conform to the requirements of 40 CFR Part 136, unless otherwise specified, and shall be conducted in a laboratory accredited by the Department. For each measurement or sample, the permittee shall record the exact place, date, and time of measuring/sampling; the date and time of the analyses, the analytical techniques or methods used, minimum detection or reportable level, and the individual(s) who performed the measuring/sampling and analysis and, the results. If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved procedures, the results shall be included in the Monitoring Report form required in 1.B. above. Such increased frequencies shall also be indicated.
- 5. Change in Discharge: All stormwater discharges shall be in compliance with the conditions of the permit. Modification or expansion of the storm sewer system is allowed. All new storm sewer segments and outfalls constructed after the effective date of the permit, which are located within the permit area, are authorized under the permit and must comply with the permit conditions.
- 6. Proper Operations and Maintenance: The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the requirements of this permit and Kansas and Federal law.

Standard Conditions Page 10 of 46

7. Incident Reporting: The permittee shall report any unanticipated significant incidents which would be expected to result in non-compliance with the permit requirements within 24 hours from the time the permittee became aware of the incident. A written submission shall be provided within 5 days of the time the permittee became aware of the incident. The written submission shall contain a description of the noncompliance and its cause, the period of noncompliance, including exact dates and times; and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

For an anticipated incident or any planned changes or activities in the permitted control/treatment facility that may result in noncompliance with the permit requirements, the permittee shall submit written notice, if possible, at least ten days before the date of the event.

- 8. Removed Substances: Solids, sludges, debris, or other pollutants removed in the course of control/treatment of stormwater shall be utilized or disposed of in a manner acceptable to the Division.
- 9. Right of Entry: The permittee shall allow authorized representatives of the Division of Environment or the Environmental Protection Agency upon the presentation of credentials, to enter upon the permittee's premises where a stormwater discharge or source is located, or in which are located any records required by this permit, and at reasonable times, to have access to and copy any records required by this permit, to inspect any facilities, monitoring equipment or monitoring method required in this permit, and to sample any stormwater discharges from or influents into the stormwater control/treatment facilities.
- Transfer of Ownership: The permittee shall notify the succeeding owner or controlling person of the existence of this permit by certified letter, a copy of which shall be forwarded to the Division. The succeeding owner shall secure a new permit. This permit is not transferable to any person except after notice and approval by the Director. The Director may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary.
- 11. Records Retention: Unless otherwise specified, all records and information resulting from the monitoring activities required by this permit, including all records of analyses and calibration and maintenance of instruments and recordings from continuous monitoring instruments, shall be retained for a minimum of 3 years, or longer if requested by the Division.
- 12. Availability of Records: Except for data determined to be confidential under 33 USC Section 1318, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Treated and raw stormwater data shall not be considered confidential. Knowingly making any false statement on any such report or tampering with equipment to falsify data may result in the imposition of criminal penalties as provided for in 33 USC Section 1319 and KSA 65-170c.
- 13. Permit Modifications and Terminations: As provided by KAR 28-16-62, after notice and opportunity for a hearing, this permit may be modified, suspended or revoked or terminated in whole or in part during its term for cause as provided, but not limited to those set forth in KAR 28-16-62 and KAR 28-16-28b through g. The permittee shall furnish to the Director, within a reasonable amount of time, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish upon request, copies of all records required to be kept by this permit. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- 14. Administrative, Civil and Criminal Liability: The permittee shall comply with all requirements of this permit. Nothing in this permit shall be construed to relieve the permittee from administrative, civil or criminal penalties for noncompliance as provided for in KSA 65-161 et seq., and 33 USC Section 1319.
- 15. Oil and Hazardous Substance Liability: Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject to under 33 USC Section 1321 or KSA 65-164 et seq. A permittee shall promptly notify the Division by telephone upon discovering crude oil or any petroleum derivative in its storm sewer system or stormwater control/treatment facilities.
- 16. Property Rights: The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights nor any infringements of or violation of federal, state or local laws or regulations.
- 17. Severability: The provisions of this permit are severable. If any provision of this permit or any circumstance is held invalid, the application of such provision to other circumstances and the remainder of the permit shall not be affected thereby.

Standard Conditions Page 11 of 46

- 18. Removal from Service: The permittee shall inform the Division at least three months before any control/treatment unit, or any other part of the control/treatment facility permitted by this permit is to be removed from service and shall make arrangements acceptable to the Division to decommission the facility or part of the facility being removed from service such that the public health and waters of the state are protected.
- 19. Duty to Reapply: A permit holder wishing to continue any activity regulated by this permit after the expiration date, must apply for a new permit at least 180 days prior to expiration of the permit.

Standard Conditions Page 12 of 46

Kansas Permit No.: M-MO39-SU01

Page 13 of 46

APPENDIX A: Public Education and Outreach (P Ed & O) BMP Table

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Lbmp P Ed & O - 01			
Maintain a stormwater webpage for the permittee.	Maintain the webpage with up to date information with all links effective and valid information. Check all links and update website as necessary on a minimum monthly basis. Document monthly checks in log book and indicate changes with logged summaries.	The webpage must be available throughout the year once it is posted and initially made available. In the initial year posted it must be available for a minimum of 3 months to qualify for the points. In subsequent calendar years the points may be claimed if the webpage has been maintained throughout the twelve months.	3 points may be claimed in the first year implemented, and 2 points may be claimed for each successive year the webpage is maintained available.
Distribute educational materials (either flyers, brochures, catalog mailings, handouts, or e-mails) addressing various pertinent stormwater public education topics.	Number of all flyers, brochures, catalog mailings, handouts, or e-mails distributed in a year shall equal or exceed the most recent U.S. Census Bureau decennial housing units value for the permit area. The applicable U.S. Census housing units value shall be documented, and the number of flyers, brochures, or e-mails distributed shall also be documented. This information and copies of the flyers, brochures, or e-mails shall be retained on file.	Either flyers, brochures, catalog mailings, handouts, or emails are to be distributed in at least two separate batches, ideally in separate seasons (either winter, spring, summer or fall). However, the required number of flyers, brochures, or emails must be distributed in a single calendar year and the points can be claimed for that year.	2 points may be claimed in a year in which the required number of flyers, brochures, catalog mailings, handouts, or e-mails are distributed.

Lbmp P Ed & O - 03

Provide either training or educational materials to permittee identified businesses at high risk of contributing to stormwater pollution. Such businesses can include, but are not limited to, food service, auto service, disaster response and janitorial services. The training or educational materials shall address best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations.

Training or educational materials must be provided, within the year, to at least five separate businesses if the population of the municipality is greater than 10,000, or three businesses if the population of the municipality is between 3,000 and 9,999, or two separate businesses if the population of the municipality is less than 3,000.

There is no requirement to provide training to business in separate business categories, although it is allowed.

The required amount of training or distribution of educational materials must occur within the year for which points are claimed.

2 points may be claimed in any year in which the required amount of training or distribution of educational material occurs.

Lbmp P Ed & O - 04

Apply notification, placard, covers/hatches with message, or stencil, on stormwater inlets to provide a message similar to "No Dumping - Drains to River"

Apply this notification on at least 10% of all known stormwater inlets in the MS4.

The required number of placards, covers/hatches with message, or stencils must be placed within the year for which points are claimed. Alternately, points may be claimed in any subsequent year when an additional 5% of all known stormwater inlets in the MS4 bear the placard, covers/hatches with message, or stencil.

2 points may be claimed in years when the required number of inlets (10%) receive placards, covers/hatches with message, or stencils or in subsequent years when an additional 5% of all known stormwater inlets in the MS4 bear the message.

Lbmp P Ed & O - 05			
-			
MS4 permit and SMP mu document on either the stormwater web page or the	ne two documents ust be posted for at east six months of ne year to claim one pint.	Months for which the posting occurs must be within the year for which points are claimed. No "carryover" of months from one year to the next.	1 point may be claimed for posting each year (minimum of at least six months).
Lbmp P Ed & O - 06			
stormwater telephone hotline or web based or text message method for public reporting of illicit discharges. res day res mon but res fin ef: res wit foc cor cor in Res illi inc dis tre diss (no NPI rec dis loo dis cor i.e or to be app tre res	espond to all eported complaints thin 10 days and, found valid, esolve or establish schedule for esolution within 20 ays. Actual esolution may take ore than 20 days, at the schedule for esolution must be analized and the eforts to implement esolution must begin thin 20 days allowing receipt of emplaint. Document emplaints and esponse/resolution esocess for all emplaints received at the year. esolution of an elicit discharge can esolution of the escharge; on-site estament to allow escharge to the MS4 esormally requires an edication that the escharge is not escharge is	The hotline/reportin g system must be available to the public for at least six months in the year to claim the points.	2 points may be claimed for each year the hotline / reporting system is maintained and available. An additional point may be claimed for each illicit discharge resolved in the year up to a limit of 2 additional points per year. One point allowed per illicit discharge resolved.

Lbmp P Ed & O - 07

Provide educational
material annually to at
least four groups,
including each of the
following types:
Residents,
Businesses/Institutions,
Commercial
entities/Developers, and
Industrial facilities.
The educational material
may be provided as any
of the following:

- > Brochures
- > Flyers
- ➤ E-mails
- > Press release

Identify and educate at least 4 groups/entities from the listed types annually developing topics that are group specific and address activities and or pollutants of concern.

All the requirements for sending educational material to the various groups must occur in a single year to qualify for the points in that year.

3 points may be claimed each year this BMP is implemented in compliance with the specified requirements.

Lbmp P Ed & 0 - 08

Provide stormwater education for students at a school campus within K-12 (those grades present at the campus) within Johnson County The training may be limited to the individual campus (local school buildings associated with a single address). This training does not need to be provided to the entire school system, e.g., USD.

Alternately, funding stormwater BMP installations and/or field trips at the school campus will qualify. Provide or fund an educator or speaker that will reach at least 5% of the K-12 students as normally attend school in the selected school campus.

Alternately, the funding of BMPs at the school campus may provide for any of the following:

- > Installation of BMPs at the school
- > stormwater related field trips
- > water quality stream sampling activities
- > construction of rain gardens on school property
- > rain barrel workshops
- rain garden workshops

All of the required students (5% minimum) in K-12 at the selected campus must be educated in a single year to qualify for the points in that year.

Alternately, stormwater BMPs may be funded at a school campus where students may participate in installation or observe operation of the BMPs. Any of the items listed under measurable goals qualify.

3 points may be claimed each year this BMP is implemented in compliance with the specified requirements (provide education and/or fund stormwater BMP installations at the school campus).

Lbmp P Ed & O - 09			
1. Operate an information booth at a large public event, (such as a sports event, fair, or music festival) where at least an estimated 1,000 or more individuals attend.	Provide information about stormwater topics of current interest.	All events shall have the booth staffed by the permittee for at least 50% of the days the event occurs.	claimed each year this BMP is
 Alternately, operate an information booth at multiple public events, (such as a sports event, fair, or music festival) where a cumulative estimated total of 3,000 or more individuals attend. And finally, a single point can be claimed for operating an information both 			Finally, 1 point may be claimed each year this BMP is implemented in compliance with the specified requirements for alternative 3(200 attendees).
at a public event where at least an estimated 200 or more individuals attend.			
Lbmp P Ed & O - 10			
Provide either training or educational materials to lawn/turf care service entities addressing best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations.	Training or educational materials must be provided, within the year, to at least five lawn/turf care service entities or at least 20% of the lawn care service entities located in the municipality whichever is least.	The required amount of training or distribution of educational materials must occur within the year for which points are claimed.	2 points may be claimed in any year in which the required amount of training or distribution of educational material occurs.

Lbmp P Ed & O - 11			
Adopt a public education program to reduce littering.	Install and/or maintain signs to discourage littering. Signs are to be located in areas where littering has been a problem.	Credit can be claimed for any year in which signs are installed and in place for greater than six months or in any year in which previously installed signs remain posted for the full year.	1 point may be claimed for the year when signs are posted for six months or more, or 1 point may be claimed in subsequent years where the signs remain posted throughout the year.
Lbmp P Ed & O - 12			
Create a stormwater information brochure to provide to the public at public meetings and/or hearings	Have multiple copies of the brochure available during at least 10 meetings or hearings open to the public during the year. Provide the brochures to the public at no charge.	The brochures shall address stormwater topics of concern.	1 point may be claimed in any year the brochures are made available at meetings and/or hearings as required.
Lbmp P Ed & O - 13			
Operate an adopt a highway program to utilize public volunteers to clean road right-of-way.	The volunteers shall clean at least a two-mile segment of road either within the permit area or adjacent to the permit area. Alternately multiple spots (roadways, parks, and waterways) which are cleaned and equate to a two-mile road clean-up can qualify for a point.	The road right- of-way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	1 point may be claimed in any year a two mile road segment is cleaned or alternately multiple spots are cleaned which equate to or exceed a two-mile road clean-up.
Lbmp P Ed & O - 14			
Hold a media campaign addressing various pertinent stormwater public education topics.	Estimated media exposure during prime-time broadcasting for the duration of the campaign shall be 10 times the most recent U.S. Census Bureau decennial population value for the permit area. The date, time, estimated media exposure, and population value for each spot broadcast shall be documented.	The media campaign shall be run within the year for which points are claimed. A new media campaign shall be run for each year points are claimed.	2 points may be claimed in a year in which the media campaign meeting the minimum exposure rate is conducted.

Lbmp P Ed & O - 15	1		
110mb 5 EG & O - 12			
Develop or participate in an ongoing social media program on pertinent stormwater public education topics.	Publish or share social media content on the permittee's social media accounts at least six times per year. Record post topic, the number of impressions and engagement for each post. Include link to permittee's stormwater education website.	The required number of social media posts must occur within the year for which the posts are claimed.	2 points can be claimed in a year which the required number of content is shared
Lbmp P Ed & O - 16			
Operate an information booth at a public event or hold a public event which is intended to improve public understanding of issues related to water quality. The event may be associated with any environmental related issue including but not limited to an environmental expo, earth day, world wetlands day, international day of action for rivers, world fish migration day, world biodiversity day, world oceans day, world cleanup day, world water monitoring day, world rivers day, and America recycles day.	At least an estimated 800 or more individuals must attend the event.	The booth must be staffed at least 50% of the time the event is open to the public.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements. Municipal staff from multiple permittees may staff the both and claim points, for their municipality, for this BMP if their staff meet the 50% of the time staffing requirement.
Lbmp P Ed & O - 17 Operate an adopt a street program to utilize public volunteers to clean street right-of-way.	The volunteers shall clean at least a two-mile segment of street, either a single street or multiple streets, either within the permit area or adjacent to the permit area.	The street right-of-way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	l point may be claimed in any year at least two miles of street right-of-way is cleaned by volunteers.

Kansas Permit No.: M-MO39-SU01

Page 21 of 46

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Lbmp P I/P - 01		3333333	
Hold a public hearing or public forum to notify the public about stormwater program activities and to solicit public comments regarding stormwater issues.	Provide public notice of the hearing/forum, invite local news media, either newspaper, radio, or TV, and document the hearing with attendance sign-in sheet and minutes of the hearing which include public comments and responses.	Retain copies of the notices to public, invitations to attend, attendance signin sheets, and minutes. Points may be claimed in year which hearing is held.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 02			
Establish a citizens advisory committee.	Host the citizens advisory committee meetings twice yearly and receive comments and guidance from the committee regarding the SMP. Retain on file copies of the attendance list and minutes of the meetings.	The citizens advisory committee must hold at least two meetings in the year which points are claimed.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 03			
Hold park or stream bank clean-up events for public volunteers to aid municipal staff in removing trash, debris, or pollutant sources from the selected clean-up area.	Clean an area which must be equal to or greater than one acre or alternately at least 200 yards of streambank. Alternately, for municipalities with less than 500 population clean an area which must be equal to or greater than a quarter of an acre or alternately at least 100 feet of streambank.	At least one such clean-up activity must occur in the year for which points are claimed.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 04			
Train either citizen watch groups, homeowner associations (HOAs), or public service groups to recognize illicit discharge activities and communicate observations to appropriate municipal staff.	Provide training or distribute training materials to the group participants at least once annually.	At least one such training activity or distribution of training materials must be provided to the group in the year for which points are claimed.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements.

Lbmp P I/P - 05			
Provide at least two events for residents to engage in cleanup activities and improve water quality within Johnson County.	Provide at least two events in streams, streamside parks, areas adjacent to public waterways, and/or other green infrastructure/water resources. These events can be any of the following: Environmental restoration events, stream cleanups, tree plantings, or stream monitoring.	At least two events in compliance with the stated goals must be conducted within the year for which points are claimed.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 06			
Establish a program to encourage residents to install stormwater treatment best management practices on their property.	Encouragement can include funding, grants, and other financial incentives, trainings and or giveaways. Stormwater treatment BMPs can include: rain barrels, rain gardens, native plantings, native trees, cisterns and vegetated swales. Record participation numbers annually.	One or more of the listed methods of encouragement must be implemented in the year for which points are claimed.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements, with the addition of 1 additional point (for a total of 3 points in the year) each year that participation increases from the previous year.
Lbmp P I/P - 07			previous year.
Enact either an ordinance, a resolution, or other enforceable requirement that requires pet owners or their keepers to immediately and properly dispose of their pet's solid waste deposited at parks or rest areas owned by the permittee.	The ordinance or resolution or other enforceable measure shall be enacted, and signs posted informing the public of their obligation at the park. The installation of a pet waste bag dispenser in the public area qualifies as adequate signage.	In the year the Measurable Goal requirement is implemented the point may be claimed and for each year thereafter.	1 point may be claimed for the initial and subsequent year the Measurable Goal requirements remain in effect.

[-1 /n 00		T	
Lbmp P I/P - 08			
Provide a monetary donation to a scholarship fund for students pursuing a degree in an environmental program which would qualify them to work in a field which can result in water pollution control.	A \$500 contribution in a year is the minimum acceptable amount to achieve this goal.	The donation must be made in the year the points are claimed.	2 points may be claimed each year this BMP goal is achieved.
Lbmp P I/P - 09			
Distribute stormwater educational materials to the public within this permit area. Alternately, the permittee may provide stormwwater educational materials, e.g. brochures, flyers, or pamphlets. These materials may address various stormwater topics. For this alternative these materials may be provided to other nearby municipalities in Johnson County for distribution to the public.	The educational materials, for each topic, which are distributed or supplied must have a value of at least \$50. Topics may be anything related to stormwater including but not limited to guidance on clean-up following flooding, discouraging littering, explaining and discouraging illicit discharges to the storm sewers, constructed BMPs for homeowners, area household hazardous waste receiving centers, and area recycling programs.	For educational materials distributed or provided to nearby municipalities each year points may be claimed when materials are provided with equal or greater value as required for each separate topic.	1 point may be claimed per topic addressed in compliance with the requirements, up to a total of 5 points/topics.
Lbmp P I/P - 10 Establish a program to employ (either paid or unpaid) high school or college age environmental interns in an environmental related program including but not limited to either the wastewater utility, stormwater utility, potable water utility or solid waste utility in Johnson County.	The intern must receive the same environmental related training a new full-time employee would receive, within the first six months of the full-time employee's employment, during their internship.	The internship must last at least 8 weeks in the year when points are claimed.	2 points may be claimed each year this BMP goal is achieved per intern.

Kansas Permit No.: M-MO39-SU01 Page 25 of 46

APPENDIX C: Illicit Discharge Detection and Elimination (I D D & E) BMP Table

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Lbmp I D D & E - 01		Time building	
Hold a public hearing or public forum to educate the public about illicit discharges and alternate acceptable methods of disposal or reuse of substances and/or materials. Libmp I D D & E - 02	Provide public notice of the hearing/forum, invite local news media (either newspaper, radio or TV), and document the hearing with attendance sign-in sheet and minutes of the hearing which include questions/comments from the attendees and answers/comments from the permittee staff.	Retain copies of the notices to public, invitations to attend, attendance signin sheets, and minutes. Hearing must be held in year for which points are claimed.	2 points may be claimed for any year a hearing/forum is held.
_	Dodings the west-	For onch factors	2
Implement a program to abandon failed or failing residential or commercial on-site wastewater treatment facilities. These onsite wastewater treatment systems such as septic tank - lateral systems or lagoon systems are then connected to the municipal wastewater collection system for treatment of wastewater at the municipal wastewater treatment plant. Alternately, upgrade or replace the failed system to restore performance.	Redirect the wastewater generated by the facility to the municipal wastewater treatment collection system for proper treatment and disposal. Alternately, upgrade or replace the failed system with improvements which meet or exceed the present code or local requirements.	For each failed or failing on- site system which is abandoned, and the wastewater is redirected to the municipal wastewater treatment system, the permittee may claim points in the year the system is initially connected into the treatment system. Alternately, less points can be claimed in the year which are upgraded or replaced to restore adequate performance.	3 points may be claimed for each abandoned system in the year it is abandoned, alternately for systems which are upgraded or replaced as per the requirements a total of 2 points may be claimed in the year upgrade or replacement is completed.
Lbmp I D D & E - 03			
Develop a spill response plan and, if appropriate, coordinate emergency response with other agencies or organizations.	The plan shall include, at a minimum, explanation of appropriate spill response activities for spills associated with vehicle accidents, at grade or above ground storage tanks, and vehicle fluids from mechanical equipment such as construction equipment, cars, or trucks. The written plan shall be maintained on file.	The plan may be implemented in any year and points claimed for the initial implementation or for each year the plan remains effective.	3 points may be claimed in the year initially implemented, and 2 points may be claimed for each successive year the plan remains effective.

	•		
Lbmp I D D & E ~ 04			
Implement a program to evaluate MS4 outfalls to identify illicit discharges. Inspect at least 5% of the known MS4 outfalls during a calendar year and evaluate the ones which have dry weather discharges. Evaluate the water quality of the dry weather discharges to recognize nonstormwater contributions and trace the source of any illicit discharge.	When at least 5% of the known MS4 outfalls are inspected and for which at least one outfall was identified as discharging (entirely or partially) flow from an illicit discharge, the allotted points may be claimed in the year when the illicit discharge is eliminated. Document the MS4 outfalls inspected, the outfalls with dry weather discharges and the MS4 outfalls associated with illicit discharges.	The evaluation of a group of at least 5% of the known MS4 outfalls may be completed all in one year or may occur in up to two consecutive years and a point can be claimed. The larger number of points may be claimed only for the year in which the illicit discharge(s), associated with this group of evaluated outfalls is/are eliminated.	1 point may be claimed in the year when a 5% of the known MS4 outfalls are finally inspected, and 2 additional points may be claimed in which the illicit discharge(s), associated with this group of evaluated outfalls are eliminated.
Distribute a letter (or flier) and/or e- mail along with a press release from a municipal official with the intent of reaching every resident and business in the MS4 permit area. The distributed documents shall provide information on how to avoid illicit discharges to the MS4, i.e., proper disposal methods for common substances or materials often discharged illicitly. Provide a link to the municipal website where applicable ordinances and disposal guidance are posted.	The letter (or flier) and/or e-mail along with the press release shall highlight the requirements for proper disposal of wastes and disposal methods. Copies of these documents shall be retained on file along with the distribution/mailing lists to document distribution to the target area (minimum MS4 permit area) to avoid illicit discharges to the MS4. Provide a link to the municipal website where applicable ordinances and disposal guidance are posted.	The distribution of these various documents, letter (or flier) and/or e-mail along with the press release, shall all occur in the same month. Permittee may claim these points in the year these documents are distributed.	2 points
Ibmp I D D & E - 06 Inspect, by televising pipelines or direct visualization of open channel drainage, 2% of the MS4 system within the permit area all conducted within a	Generate a summary report of the inspection including the number of linear feet televised, number of linear feet visually inspected, condition comments.	The inspection process can occur in a single calendar year or may be conducted over a period extending from	3 points may be claimed for inspection of 2% of the MS4 system, alternately

condition comments,

all conducted within a

alternately

extending from

APPENDIX C: Illicit Discharge Detection and Elimination (I D D & E) BMP Table

12-month period to aid in identifying illicit discharges as well as evaluate the condition of the storm sewer lines/drainage channels-ditches. If in a 12-month period 10% of the MS4 system is inspected a higher point value may be claimed. Lbmp I D D & E - 07	illicit discharges identified and the results of efforts to eliminate illicit discharges, e.g., discharge line disconnected and redirected to the sanitary sewer or discharge practice terminated.	one year into the succeeding year. Points may be claimed in the year when the televised and/or visual inspection of this portion of the MS4 system (either 2% or 10%) is completed.	if 10% of the MS4 system is inspected 5 points may be claimed.
Implement a Household Hazardous Waste Collection Program (HHWCP) or document others have implemented such a program to provide such service to all property owners or residents located within the permit area. Lbmp I D D & E - 08	Document the residents and property owners within the MS4 permit area were able to dispose of such wastes at the HHWCP during a calendar year. Retain this documentation on file.	The property owners or residents located within the permit area must be able to dispose of waste accepted by the HHWCP throughout a calendar year. Points may be claimed for any such year.	3 points may be claimed for any year in which this BMP was implemented in compliance with the requirements.
Implement a program to increase the reliability of sanitary sewer pump stations above the minimum standard design requirements.	An upgraded pump station shall include the following: A dedicated onsite standby generator shall be installed (with automatic transfer switch) for use when main line power fails. A dialer system, or connection to a SCADA system shall be installed to provide real time or nearly real time notification of failures at the pump station which can potentially lead to sanitary sewer overflow. The permittee shall purchase and maintain for immediate operation a	In the year all improvements, as listed under measurable goals, are installed and ready for operation the points may be initially claimed and in subsequent years these improvements remain operational points may be claimed.	5 points may be claimed (for each pump station upgraded in compliance with this BMP) in the first year the improvements, as listed under measurable goals, are installed and ready for operation, 4 points may be claimed for (for each pump station upgraded in compliance with this BMP) each successive year the improvements, as listed under

APPENDIX C: Illicit Discharge Detection and Elimination (I D D & E) BMP Table

		-	
	motor driven		goals, remain
	sewage pump for use when the pump		operational.
	station fails to		
	operate. The		
	<u> </u>		
	motor driven pump shall be sized to		
	pump at a rate at	1	
	least equal to		
	the firm pumping		
	capacity of any		
	sanitary sewer		!
	pump station the		
	permittee claims		
	points for under		
	this BMP.		
	> The pump station		
	shall be modified		
	to facilitate the		
	connection of the		
	trailer mounted		
	pump discharge to		
	the force main		
	and convenient		
	installation of		
	the suction line		
	from the trailer		
	mounted pump into		
	the wet well.		
Lbmp I D D & E - 09	CHO NOT WOLL.		
Provide a contribution	The contributions may be	The total value	2 points may
to area recycle	made to programs which	of donation	be claimed
programs or programs	take tires, automotive	(either in-kind	each year
(such as household	fluids, batteries, or	work, materials,	this BMP goal
hazardous waste	other wastes for which	supplies or cash)	is achieved.
disposal facilities,	there is any	in a minimum	
e-cycle facilities,	documentation such	amount of \$500	
paper shred	wastes have been	must be made in	
facilities,	discarded as addressed	the year points	
pharmaceutical	under the BMP summary.	are claimed.	
disposal facilities	The contributions must		
etc.) designed to	total a minimum of \$500	Alternatively,	
properly dispose of	in the year (\$100 for	for	
types of waste or	alternative lower	municipalities	
materials which have	population	with less than	
previously been	municipalities) which	500 population	
discarded to or	points are claimed. The	the total value	
adjacent to either the	contributions can be	of donation in a	
MS4, streams, or lakes	monetary or can be in	minimum amount of	
within or adjacent to	the form of goods and/or	\$100 must be made	
the permittee's permit	services with an agreed	in the year	
area. The area	specified value.	points are	1
program must be within	Contributions may be	claimed.	
30 miles from this	made to area household		
permit area.	hazardous waste		
	programs, private		
	recycle/reuse facilities		
	or civic/volunteer		
	organizations assisting		
1	in recycle.		
	1		

APPENDIX C: Illicit Discharge Detection and Elimination (I D D & E) BMP Table

Lbmp I D D & E - 10

Inspect, 5% of the MS4 system Stormwater inlets and/or outfalls within the permit area all conducted within a 12-month period to aid in identifying illicit discharges. If in a 12-month period 15% of the MS4 system inlets and/or outfalls are inspected a higher point value may be claimed in the year the required percentage of inspections are completed.

Generate a summary report of the inspection including the number of inlets and/or outfalls visually inspected, condition comments, illicit discharges identified and the results of efforts to eliminate illicit discharges, e.g., discharge line disconnected and redirected to the sanitary sewer or discharge practice terminated.

The inspection process can occur in a single calendar year or may be conducted over a period extending from one year into the succeeding year. Points may be claimed in the year when the televised and/or visual inspection of this portion of the MS4 system (either 2% or 15%) is completed.

3 points may be claimed for inspection of 2% of the MS4 system in the vear the required percentage of inlets and/or outfalls are finally inspected, alternately if 15% of the MS4 system is inspected 5 points may be claimed.

Kansas Permit No.: M-MO39-SU01 Page 31 of 46

 $\label{eq:APPENDIX D: Construction Site Stormwater Runoff Controls (C S S R C) BMP Table}$

APPENDIX D: Construction Site Stormwater Runoff Controls (C S S R C) BMP Table

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Lbmp C S S R C - 01		schedule	
Implement a requirement for a Soil Erosion and Sediment Control(SESC) Plan for any land Disturbance sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Enact a regulatory ordinance, or other enforceable measure that requires an SESC Plan for all developments disturbing sites equal to or greater than 1 acre or for construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Points may be claimed in the year the ordinance/enforceab le requirement first becomes effective, and for each full calendar year thereafter for which the ordinance/enforceab le requirement remains effective.	3 points may be claimed in the year the ordinance initially becomes effective, and 2 points may be claimed for each successive year thereafter for which the ordinance remains effective.
Develop and adopt a design manual for erosion and sediment control BMPs which are required to be used on sites disturbing sites equal to or greater than 1 acre or for construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more. Lbmp C S S R C - 03	Require implementation of BMPs in compliance with the design manual on all sites which meet the disturbed area standard as specified.in the BMP Summary.	Points may be claimed for the year which the manual is initially adopted and implemented, and a reduced number of points may be claimed for subsequent years in which the manual remains implemented.	3 points may be claimed in the year the manual is initially implemented, and 2 points may be claimed for each successive year the manual remains effective.
Provide access to at least one training class for contractors, developers or others involved with land disturbance projects which provides training on requirements for a Stormwater Pollution Prevention Plan (SWP2 Plan) and implementation of appropriate BMPs.	This training class must address all local requirements for a SWP2 Plan, requirements for implementation of BMPs and address the requirements for permits.	Points may be claimed for the year in which the training class is held.	3 points

Lbmp C S S R C - 04			
Develop a site plan review process which considers potential water quality impacts which may occur during construction as well as post construction impacts.	Review process must have written guidance for the reviewer. Issuance of a building permit or approval to start construction may not be provided until the site plan has successfully passed the review process either based on the initial site plan submittal or has been modified to comply with requirements identified during the review process. Measures must be included to enforce the installation of water quality BMPs included in the site plan.	Points may be claimed in the year the review process is initially developed and implemented. Also points may be claimed in each subsequent year the review process continues to be implemented.	3 points may be claimed in the year the review process is initially developed and implemented, 2 points may be claimed for each successive year the review process continues to be implemented.
Lbmp C S S R C - 05 Establish effective requirements for construction sites to control wastes. Develop through ordinance or other enforceable means requirements for construction site Operators or owners. At a minimum control shall be imposed to prevent entry into the MS4 for the following wastes: > discarded building materials > concrete > Truck washout chemicals > litter, and > sanitary waste	Enact ordinance or other effective means to achieve control of wastes at construction sites.	Points may be claimed in the year of enactment. Also points may be claimed in each subsequent year the method of effective control of construction site waste remains in effect.	3 points may be claimed in the year of enactment, 2 points may be claimed for each successive year the method of effective control of construction site waste remains in effect.
Lbmp C S S R C - 06 Develop written procedures for inspection of construction sites. Develop a Stormwater Construction Site Inspection Guide for use by municipal inspectors.	The procedures document must address the administrative aspects associated with required inspections of construction sites, the issuance of inspection reports, notices of violations, and enforcement	Development of the written procedures and the Inspection Guide can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be	3 points may be claimed in the year of initial development, 2 points may be claimed for each successive year the written

APPENDIX D: Construction Site Stormwater Runoff Controls (C S S R C) BMP Table

		r	
	actions. The	claimed in	procedures
	Inspection Guide must	subsequent years.	and
	provide inspectors		inspection
i	guidance on how to		guide
	conduct a construction		continue to
	site stormwater		be utilized.
	inspection, the	·	
	required procedures,		
	and guidance on		
	acceptable conditions		
	of various BMPs		
	employed on such		
!	sites, enforcement		
	actions and/or		
	reference of cases for		
	enforcement by other		
	municipal staff,		
	guidance on photo log		
	of the inspection and		
	inspection checklists		
	for use by the		
	inspector.		
Lbmp C S S R C - 07			
Acquire or develop a	The tracking system	A point can be	1 point may
software tracking	must allow for	claimed in each	be claimed
system to track	scheduling and follow-	year the software	for each year
inspections and related	up activities such as	tracking system is	the software
tasks.	re-inspections,	utilized.	is utilized.
	mailing notices or		
	reports, etc.		

Kansas Permit No.: M-MO39-SU01

Page 35 of 46

APPENDIX E:

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Lbmp P-C S M - 01			
	The custom design manual shall impose requirements to achieve at least one of the following standards: Capture, at least, the first 0.5 inches of precipitation on the development/re- development site and utilize methods to prevent discharge off- site, including but not limited to: retain on- site infiltrate evaporate transpire or beneficial ly reuse Through implementation of appropriate BMP(s) reduce the peak stormwater flow rate to a value equal to or less than the rate which would be experienced on the site prior to the development/re- development project based upon modeling a standard storm event, e.g. 1.0 inch - 6-hour event assuming saturated soil conditions. Other sizing or	Implementation Time Schedule Development of the design manual can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	Points 4 points may be claimed in the year of initial implementation of a custom design manual - alternately 6 points may be claimed in the year of initial implementation of the APWA 5600 stormwater design criteria and the MARC/APWA BMP Manual, 3 points may be claimed for each successive year compliance with the custom design manual is implemented Alternately 5 points may be claimed in each successive year the implementation of the APWA 5600 stormwater design criteria and the MARC/APWA BMP Manual is implemented.
	detention standards		
	generally accepted by		
	design engineers		

Lbmp P-C S M - 02 Develop a list of post-construction structural or non-	as adequate for the permittee's local. As an alternative to a custom design manual the APWA 5600 Stormwater Design Criteria and the MARC/APWA BMP Manual may be adopted and implemented. Measures must be included to enforce the installation of the various structural BMPs required. Development and implementation of the list and guidance is	Development of the list and quidance can	3 points may be claimed in the year of initial
structural BMPs which are required to be incorporated in any development/redevelopment project. The list must include guidance regarding the BMPs which must be incorporated in various projects as determined appropriate by the permittee. The list is to be provided to entities involved with the design of projects prior to site plan review by the permittee.	necessary to claim points in the first year. The list of required BMPs must be enforceable through ordinance or other means.	occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	implementation, 2 points may be claimed for each successive year the list is maintained and implemented.
Develop and implement a program to ensure adequate long-term cleaning, operation and maintenance of all municipally owned or operated post-construction structural stormwater BMP facilities. The program shall address several different types of these BMP systems. The systems, which are addressed, shall include any type of post-construction structural BMP system,	The program shall be detailed in a written document and made available to all pertinent maintenance staff.	Development of the program can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial implementation, 2 points may be claimed for each successive year the program is maintained and utilized.

contained in the MS4. These shall include, if so present, at a minimum the following:			
filter strips > manufactured stormwater treatment devices (swirl separators, screens, etc.) > drop inlet-catch basin Lbmp P-C S M - 04		·	
Develop a master plan or comprehensive development plan which establishes zoning and development standards with establishment of both structural and non-structural BMPs intended to avoid or minimize adverse water quality impacts post-construction.	Runoff problems can be addressed efficiently with sound planning procedures. This master or comprehensive development plan must include, a zoning ordinance, a stream buffer ordinance, site plan development requirements which include minimizing the increase of impervious surfaces and maximization/preservat ion of open space. The plan must also impose requirements for new development or re-development projects to utilize stormwater retention or detention BMPs and vegetative BMPs (such as grassy swales, filter strips, artificial wetlands, and rain gardens).	After all aspects are implemented including final implementation of the master or comprehensive development plan, along with enactment of the required ordinances points for implementation of this BMP can initially be claimed.	5 points may be claimed in the year all aspects are initially implemented, 2 points may be claimed for each successive year all aspects continue to be implemented.

Lbmp P-C S M - 05			
Develop and implement a program for inspection of permittee owned structural BMPs which includes implementation of needed maintenance to ensure long-term operation of the BMPs	The program shall require inspection of at least 10% of the structural BMPs on an annual basis. Identified maintenance activities shall be completed: 1. in the same year of inspection or 2. completed as dictated by the permittee's maintenance/O&M plan 3. or a written plan for completion of the necessary maintenance shall be completed in the same year of inspection with the objective for completion of the maintenance activity within 18 months.	The program shall be developed and implemented within a single year.	3 points may be claimed in the year the program is initially developed and implemented, 2 points may be claimed for each successive year the program continues to be implemented.
Develop and implement a program for inspection of known privately owned structural BMPs which includes providing the owner of the BMPs an inspection report which specifies needed maintenance to ensure long-term operation of the BMPs.	The program shall require inspection of at least 10% of the known privately owned structural BMPs on an annual basis. Identified maintenance activities shall be completed in the same year of inspection or a written plan for completion of the necessary maintenance shall be completed in the same year of inspection with the objective for completion of the maintenance activity within 18 months.	The program shall be developed and implemented within a single year.	3 points may be claimed in the year the program is initially developed and implemented, 2 points may be claimed for each successive year the program continues to be implemented.

Lbmp P-C S M - 07			
Enact either an ordinance, a resolution, or other enforceable requirement which requires the installation of pervious surfaces on property.	The ordinance or resolution or other enforceable requirement must specify when installation of impervious surfaces is not acceptable and what allowable pervious surfaces can be installed in lieu of impervious surfaces.	The year the ordinance or resolution or other enforceable requirement is implemented points may be claimed and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial implementation, 2 points may be claimed for each successive year the ordinance or resolution or other enforceable requirement is implemented.
Th D C C M 09			Impremented.
Lbmp P-C S M - 08			
Implement a program to encourage residential owners to install stormwater BMPs, including but not limited to, native trees, native flower gardens, rain gardens, rain barrels, pervious surfaces, and vegetated swales.	A program which results in installation of such BMPs on 1% of the residential parcels in a year will allow two points to be claimed for that year. In a year when installation of such BMPs on 5% of the residential parcels occurs, a larger number of points may be claimed.	The number of residential parcels improved to qualify for points must occur in a single calendar year.	2 points may be claimed in a year BMPs are installed on 1% of the residential parcels, 4 points may be claimed in a year BMPs are installed on 5% of the residential parcels.

Kansas Permit No.: M-MO39-SU01 Page 41 of 46

APPENDIX F:

Pollution Prevention/Good Housekeeping for Municipal Operations (P P/G H) BMP Table

APPENDIX F: Pollution Prevention/Good Housekeeping for Municipal Operations (P P/G H) BMP Table

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Lbmp P P/G H - 01			
Install a screening device or method at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters.	The screening device or method is required to remove objects that exceed at least 1½ inches in size. The device or method must be capable of continuous operation during stormwater discharges. An emergency bypass or	Volume or weight of the material shall be documented for either each discharge event or on a quarterly basis.	3 points may be claimed in the year the screening device or method is initially implemented, 2 points may be claimed for each successive year the
	overflow line can be included to avoid surcharging/flooding in the event the screening device or method fails to operate properly at any time.		screening device or method continues to be implemented.
	A log of the material captured and prevented from discharge to the receiving water shall be maintained.		
Lbmp P P/G H - 02			
Implement a recycle and proper waste disposal program for municipal staff to reduce potential for litter, to recycle waste oil, batteries, glass containers, plastic containers, and paper products.	A log of the materials directed to recycle shall be maintained. Entries in the log shall record either weight or volume of recycle materials removed from the containers and transported to the recycle facility as well as the date of transport.	Recycle containers shall be available for staff use all days of the year in which points are claimed.	3 points may be claimed in the initial year the recycle program is implemented, 2 points may be claimed for each year the recycle program continues to be implemented.
Lbmp P P/G H - 03			
Develop a guidance document for municipal staff or third-party contractors which apply pesticides. The guidance shall require municipal staff who apply restricted use pesticides to have a commercial applicator certification from the Kansas Department of Agriculture if required by that Department.	Require staff which apply pesticides to use such pesticides in compliance with the guidance document. The guidance document must require use of pesticides in compliance with the label instructions.	The guidance document must be finalized and implemented in the year which points are initially claimed.	2 points may be claimed in the year the guidance document is initially implemented, 1 point may be claimed for each successive year the guidance document continues to be implemented.

Lbmp P P/G H - 04

Implement a program, with guidance to municipal staff or third-party contractors, to ensure any municipal vehicle or other mechanical equipment washing is conducted in a manner which ensures the wash water is disposed of in the sanitary sewer or otherwise receives proper treatment prior to discharge to the environment.

Maintain proper wash facilities for municipal staff to wash vehicles and/or equipment or implement a program which includes quidance to municipal staff to take vehicles and/or equipment to commercial wash facilities, either of which ensures the wash water is conveyed to the sanitary sewer, or otherwise receives proper treatment prior to discharge to the environment, and not discharged untreated to the MS4 or directly to the environment.

The guidance document must be finalized and implemented in the year which points are initially claimed.

2 points may be claimed in the year the guidance document is finalized and implemented, 1 point may be claimed for each successive year the guidance document continues to be implemented.

Lbmp P P/G H - 05

Implement a program for street sweeping in which the street sweepings are collected and disposed of properly or recycled/reused if possible.

All paved streets which can be swept shall be listed in the schedule for street sweeping. A log shall be maintained listing the street segments which are swept and, dates of sweeping and where the street sweepings are disposed or where the material was sent to be recycled and/or reused.

Alternatively, for municipalities with less than 500 population street sweeping can be limited to sweeping the gutters. The log which must be maintained need only indicate the street segments which were swept in the year and confirm the sweepings were properly disposed or recycled and/or reused

At least 10% of the streets which are listed in the street sweeping schedule must be swept at least once in a year to claim points for the year.

In years when street sweeping equipment is purchased for use by the permittee additional points may be claimed.

Alternately, for municipalities with less than 500 population at least 5% of the street gutters which can be swept must be swept in a year to claim points for the year.

3 points may be claimed in the year at least 10% of the listed streets are swept and street sweeping equipment is purchased, 2 points may be claimed for each year at least 10% of the listed streets are swept or alternately for municipalities with less than 500 population if at least 5% of the street gutters which can be swept are swept in a year 2 points may be claimed.

			, <u>.</u>
Lbmp P P/G H - 06			
Develop an employee training program to ensure permittee's staff understand what actions they can take in the workplace to minimize stormwater pollution.	Provide guidance documents in the form of either fact sheets, flyers or e-mails to staff to coach them in appropriate actions they can take while working to minimize stormwater pollution. Alternately, provide in-person training or videos with sign-in-sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year.	For each year in which staff receive guidance documents or inperson training or video training on two separate dates, points may be claimed for the year.	In years when guidance documents or training (inperson or video) are provided on two separate dates 1 point may be claimed.
Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris.	Inspect at least 5% of all inlets annually. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which have evidence of dumped paint, oil or other substances which are considered illicit discharges follow up with efforts to educate individuals near the impacted inlet about illicit discharges. For inlets which have any accumulation of debris, remove the debris for proper disposal.	For each year in which staff inspect at least 5% of all stormwater inlets at least one point may be claimed.	In years when staff inspect at least 5% of all stormwater inlets and remove accumulated debris 1 point may be claimed. In years when staff inspect at least 10% of all stormwater inlets and remove accumulated debris 2 points may be claimed.

Lbmp P P/G H - 08			
Develop, implement, and update an online storm sewer map accessible to the public.	Map shall cover the entire MS4 within the permit area and include all the MS4 lines both pipe and open drainage (i.e. ditches) and shall also illustrate all impaired waterways (i.e. 303(d) listed and TMDL listed streams/rivers) with an indication of the listed impairment.	For each year in which the map is posted online points may be claimed. In the first year the map is posted it must be posted for at least six months for points to be claimed.	3 points may be claimed in the first year, 2 points may be claimed for each year thereafter for which the map remains posted.
Lbmp P P/G H - 09			
Identify permittee owned facilities, open space and buildings that can be retrofitted for stormwater BMPs.	Retrofit projects can include: green infrastructure, catchment improvements, Pollutant of Concern targeted BMPs, and native plant restoration projects.	The site(s) must be retrofitted with stormwater BMPs as listed in the measurable goals. Points can be awarded in the first year the BMPs are installed and begin operation and points may be claimed for each year the retrofitted BMPs continue to be operated.	1 point may be claimed in the first year for each site retrofitted (up to two sites/points maximum, 2 points may be claimed for each year at least two sites continue to operate all of the retrofitted BMPs which were installed.
Lbmp P P/G H - 10			
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport.	The wetland shall include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands.	Points may be claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation.	2 points may be claimed for the year in which the wetland is constructed, 1 point may be claimed for each subsequent year the wetland remains in operation.

Lbmp P P/G H - 11

Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a storage facility located within 30 miles of this permit area.

The canopy or other

area. The canopy or other covered area for load-out of salt or other de-icing materials may be installed at a facility owned by the permittee or at a facility owned by an entity the permittee contracts with as long as the facility is located within 30 miles of this permit area.

The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and resulting in contaminated runoff from the site, during and immediately following load out operations

Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in operation.

3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each subsequent year the canopy/covered area remains in operation.

Lbmp P P/G H - 12

Install a stormwater treatment system for capture of either trash, sediment, or debris. Systems may include any proprietary stormwater treatment system including CDS, Hancor, Enviro 21, etc. or similar custom designed systems. A system can be installed at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters. Alternately, a system may be installed on a stormwater line to provide treatment at

problem locations.

The treatment system or method must be capable of continuous operation during stormwater discharges.

An emergency bypass or overflow line can be included to avoid surcharging/flooding in the event the system is overloaded or fails to operate properly at any time.

A log of the material (noting either volume or weight) captured and prevented from discharge to the receiving water shall be maintained.

Volume or weight of the material shall be documented for either each discharge event, on a quarterly basis or at least annually.

3 points may be claimed in the year the treatment system is initially implemented, 2 points may be claimed for each successive year the treatment system continues to be implemented.